

Date Prepared : 02/12/2010 **MSDS No :** 1606

Date Revised: 04/14/2015

Revision No: 5

Solv

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Solv GENERAL USE: Cleaner PRODUCT CODE: 1606

MANUFACTURER

Detco Industries, Inc. PO Box 430

Conway, AR 72033

Product Stewardship: (800) 282-2133

24 HR. EMERGENCY TELEPHONE NUMBERS CHEMTREC (US Transportation): (800) 424 - 9300

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Health:

Skin Corrosion, Category 1B Serious Eye Damage, Category 1

GHS LABEL



Corrosion

SIGNAL WORD: DANGER HAZARD STATEMENTS

H314: Causes severe skin burns and eye damage.

PRECAUTIONARY STATEMENT(S)

Prevention:

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P363: Wash contaminated clothing before reuse.

P304+P340: IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minuts. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician.

Storage:

P405: Store locked up.

Disposal:

P501: Dispose of contents/container in accordance with federal, state and local regulations.



Date Prepared: 02/12/2010 **MSDS No:** 1606

Date Revised: 04/14/2015

Revision No: 5

Solv

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
Water	to 100%	7732-18-5
2- Butoxyethanol	2 - 5%	111-76-2
Sodium Hydroxide	1 - 2%	1310-73-2
Sodium Polysilicate	1 - 2%	1344-09-8
Sodium Tripolyphosphate	1 - 2%	7758-29-4
Sodium Metasilicate	1 - 2%	6834-92-0

4. FIRST AID MEASURES

EYES: Flush eyes with water for at least 15 minutes. If pain and/or irritation persists, get medical attention.

SKIN: Flush affected area with water for 15 minutes. Remove contaminated clothing. If pain and/or irritation persists, get medical attention. Launder clothes before reusing.

INGESTION: Do not induce vomiting. Give 2 glasses of water. Get immediate medical attention.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Seek immediate medical attention.

5. FIRE FIGHTING MEASURES

GENERAL HAZARD: None.

EXTINGUISHING MEDIA: Carbon dioxide, water, foam or dry chemical.

FIRE FIGHTING PROCEDURES: As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Contain spill. Absorb liquid and place in sealed container for disposal.

7. HANDLING AND STORAGE

STORAGE: Store in a tightly closed container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION



Date Prepared: 02/12/2010

MSDS No: 1606 Date Revised: 04/14/2015

Revision No: 5

Solv

EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)							
		EXPOSURE LIMITS					
			OSHA PEL ACGIH TLV S		Suppli	erOEL	
Chemical Name		ppm	mg/m³	ppm	mg/m³	ppm	mg/m³
2. Butowethand	TWA	50 ppm ^[1]	240 mg/m3 ^[1]	20 ppm ^[2]	97 mg/m3 ^[2]	NL ppm	NL ppm
2- Butoxyethanol	STEL	ppm	mg/m3	ppm	mg/m3	NL mg/m3	NL mg/m3
Codium Hydrovida	TWA	[1]	2 [1]			NL	NL
Sodium Hydroxide	STEL	[3]	[3]			NL	NL

Footnotes:

- 1. NL = Not Listed
- **2**. S = Skin
- **3**. C = Ceiling

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Wear safety glasses with side shields (or goggles).

SKIN: Wear rubber or nitrile gloves.

RESPIRATORY: None.

PROTECTIVE CLOTHING: None.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

ODOR: Butyl COLOR: Purple

pH: > 12

FLASHPOINT AND METHOD: > (200°F) (Calculated)

FLAMMABLE LIMITS: N/D to N/D
VAPOR PRESSURE: Not Determined
VAPOR DENSITY: Not Determined
BOILING POINT: Not Determined
FREEZING POINT: Not Determined
SOLUBILITY IN WATER: Soluble
EVAPORATION RATE: Not Determined

SPECIFIC GRAVITY: 1.04

(VOC): < 5.000 %

10. STABILITY AND REACTIVITY



Date Prepared: 02/12/2010

MSDS No : 1606 **Date Revised:** 04/14/2015

Revision No: 5

Solv

HAZARDOUS POLYMERIZATION: Will not occur.

STABILITY: Stable.

CONDITIONS TO AVOID: None.

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon. **INCOMPATIBLE MATERIALS:** Strong acids, organic materials.

11. TOXICOLOGICAL INFORMATION

CARCINOGENICITY

Chemical Name	IARC Status
2- Butoxyethanol	3

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: Not available.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Corrosive Liquid N.O.S

TECHNICAL NAME: (Sodium Hydroxide) PRIMARY HAZARD CLASS/DIVISION: 8

UN/NA NUMBER: 1760 PACKING GROUP: III

15. REGULATORY INFORMATION

UNITED STATES

DOT LABEL SYMBOL AND HAZARD CLASSIFICATION



SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

FIRE: NO PRESSURE GENERATING: NO REACTIVITY: NO ACUTE: Yes CHRONIC: No

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)



Date Prepared: 02/12/2010

MSDS No: 1606

Date Revised: 04/14/2015

Revision No: 5

Solv

(Chemical Name	Wt.%	CERCLA RQ
:	Sodium Hydroxide	1 - 2%	1,000 lbs.

16. OTHER INFORMATION


PREPARED BY: E. Spicer **Date Revised:** 04/14/2015

REVISION SUMMARY: This MSDS replaces the 04/14/2015 MSDS.

HMIS RATING

HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	В

NFPA CODES



MANUFACTURER DISCLAIMER: The information provided in this Safety Data Sheet has been obtained from sources believed to be reliable. Manufacturer provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein.