

Date Issued : 04/07/2021 SDS No : 0745

FG Equipment Lube

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: FG Equipment Lube GENERAL USE: Lubricant PRODUCT CODE: 0745

MANUFACTURER

Detco Industries, Inc. PO Box 430 Conway, AR 72033 **Customer Service:** 800-282-2133 **E-Mail:** support@detco.com

24 HR. EMERGENCY TELEPHONE NUMBERS

Poison Control Center (Medical) : (877) 800-5553 CHEMTREC (US Transportation) : (800) 424-9300

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Flammable Aerosols, Category 1

Physical:

Liquefied Gases

GHS LABEL



SIGNAL WORD: DANGER

HAZARD STATEMENTS

H222: Extremely flammable aerosol. H280: Contains gas under pressure; may explode if heated.

PRECAUTIONARY STATEMENTS

Prevention:

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211: Do not spray on an open flame or other ignition source. P251: Do not pierce or burn, even after use.

Storage:

P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P403: Store in a well-ventilated place.

Disposal:

P501: Dispose of contents/container in accordance with federal. state. and local regulations.

3. COMPOSITION / INFORMATION ON INGREDIENTS				
	Chemical Name	Wt.%	CAS	
	Mineral Oil (usp Grade)	60 - 100	8042-47-5	
	Propane/isobutane	10 - 30	68476-86-8	



Date Issued : 04/07/2021 SDS No : 0745

FG Equipment Lube

4. FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

SKIN: Wash with soap and water. Get medical attention if irritation develops or persists.

INGESTION: Get immediate medical attention. Do not induce vomiting unless instructed to do so by poison center or physician.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

NOTES TO PHYSICIAN: If ingested, material may be aspirated into lungs and cause chemical pneumonitis. Treat appropriately.

5. FIRE FIGHTING MEASURES

GENERAL HAZARD: None known.

EXTINGUISHING MEDIA: Carbon dioxide, water, foam or dry chemical.

FIRE FIGHTING EQUIPMENT: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SENSITIVE TO STATIC DISCHARGE: None

SENSITIVITY TO IMPACT: None

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Remove all sources of ignition. Contain spill. Absorb liquid and place in a sealed container for disposal. Avoid runoff into storm sewers and ditches which lead to waterways.

GENERAL PROCEDURES: Ensure adequate ventilation, especially in confined areas.

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Store as Level 3 Aerosol (NFPA 30B)

HANDLING: Follow all SDS/label precautions even after container is emptied because it may retain product residues.

STORAGE: Protect from sunlight. Store in a well ventilated place. Do not expose to temperatures exceeding 50C/122F. Do not pierce or burn, even after use.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: Showers, eyewash stations and ventilation systems.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Safety glasses with side shields (or goggles).

SKIN: None Expected.

RESPIRATORY: None needed with adequate ventilation.

PROTECTIVE CLOTHING: No special technical protective measures are necessary. Wear protective clothing if needed. **WORK HYGIENIC PRACTICES:** Handle in accordance with good industrial hygiene and safety practices.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Aerosol
ODOR: Mild. No fragrance added.
COLOR: Colorless
pH: NA = Not Applicable
FLASH POINT AND METHOD: No data available.



Date Issued : 04/07/2021 SDS No : 0745

FG Equipment Lube

FLAMMABILITY: Extremely Flammable Aerosol

EXPLOSION LIMITS: Not yet determined

VAPOR PRESSURE: Not yet determined

VAPOR DENSITY: Not yet determined

SOLUBILITY IN WATER: Insoluble

PARTITION COEFFICIENT: N-OCTANOL/WATER: Not yet determined

EVAPORATION RATE: < 1 n-Butyl Acetate = 1

SPECIFIC GRAVITY: 0.85 g/mL

Notes: Concentrate Only

(VOC): 23 %

10. STABILITY AND REACTIVITY

REACTIVITY: No data available. HAZARDOUS POLYMERIZATION: Will not occur. STABILITY: Stable CONDITIONS TO AVOID: Temperatures above 120F, heat, flame and sources of ignition. POSSIBILITY OF HAZARDOUS REACTIONS: None known. HAZARDOUS DECOMPOSITION PRODUCTS: None known. INCOMPATIBLE MATERIALS: Strong oxidizers

11. TOXICOLOGICAL INFORMATION

SKIN CORROSION/IRRITATION: No data available. SERIOUS EYE DAMAGE/IRRITATION: No data available. RESPIRATORY OR SKIN SENSITISATION: No data available. GERM CELL MUTAGENICITY: No data available. CARCINOGENICITY NOTES: No data available. REPRODUCTIVE TOXICITY: No data available. STOT-SINGLE EXPOSURE: No data available. STOT-REPEATED EXPOSURE: No data available. ASPIRATION HAZARD: No data available.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: No data available. ENVIRONMENTAL DATA: No data available.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of in accordance with federal, state and local regulations.

EMPTY CONTAINER: Do not reuse container.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)



Date Issued : 04/07/2021 SDS No : 0745

FG Equipment Lube

PROPER SHIPPING NAME: Aerosols, Ltd. Qty PRIMARY HAZARD CLASS/DIVISION: 2.1 UN/NA NUMBER: UN1950 PACKING GROUP: N/A

15. REGULATORY INFORMATION

UNITED STATES

DOT LABEL SYMBOL AND HAZARD CLASSIFICATION



TSCA (TOXIC SUBSTANCE CONTROL ACT)

Chemical Name	CAS
Mineral Oil (usp Grade)	8042-47-5
Propane/isobutane	68476-86-8

16. OTHER INFORMATION



MANUFACTURER DISCLAIMER: The information provided in this Safety Data Sheet has been obtained from sources believed to be reliable. Manufacturer provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein.